



06-06-06

AF/2/4382W

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **A. Mohindra, et al**

Express Mail: EQ 610808249 US  
Date: June 5, 2006

Serial No.: **10/076,778**

Filed: **February 13, 2002**

Docket No.: **YO998-210X**

COMMISSIONER FOR PATENTS  
Alexandria, VA 22313-1450

Sir:

In response to the **Notification of Non-Compliant Appeal Brief** dated May 3, 2006, Appellants transmit herewith a new **Appeal Brief** in the above-identified Application. The reply with new Appeal Brief is being filed within the period for response which is scheduled to expire on June 5, 2006, since the 3rd of June fell on a Saturday on which the Patent Office was closed.

No fee is believed due for submission of the new Appeal Brief. Should any fee be due as required under 37 CFR 1.16 or 1.17, the Commissioner is hereby authorized to charge payment of fees associated with this communication or credit any overpayment to **Deposit Account No. 50-0510**.

Respectfully submitted,  
A. Mohindra, et al

*Anne Vachon Dougherty*  
Anne Vachon Dougherty  
Registration No. 30,374  
Tel. (914) 962-5910



Serial No. 10/076,778

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS  
BEING DEPOSITED WITH THE UNITED STATES POSTAL  
SERVICE AS EXPRESS MAIL EQ610808249US  
DATE OF DEPOSIT: June 5, 2006  
PERSON MAKING DEPOSIT: ANNE VACHON DOUGHERTY

*Anne Vachon Dougherty* 6/5/06  
Signature & Date

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In Re Application of : June 5, 2006  
A. Mohindra, et al : Group Art No.: 2143  
Serial No. 10/076,778 : Examiner: G. Neurauter  
Filed: February 13, 2002 : for IBM Corporation  
Anne Vachon Dougherty  
Title: METHOD AND APPARATUS 3173 Cedar Road  
FOR ENABLING LOCATION Yorktown Heights, NY 10598  
INDEPENDENT AND LOCATION  
TRANSPARENT INTERACTION  
BETWEEN PROGRAM AND USER

Board of Patent Appeals and Interferences  
Washington, D.C. 20231

**APPEAL BRIEF (37 CFR 41.37)**

Appellants hereby appeal to the Board of Patent Appeals and Interferences from the decision dated August 5, 2005 of the Examiner finally rejecting Claims 11-18 and 20-22 in the above-identified patent application, and respectfully request that the Board of Patent Appeals and Interferences

**Serial No. 10/076,778**

consider the arguments presented herein and reverse the Examiner's rejection.

### **I. REAL PARTY IN INTEREST**

The appeal is made on behalf of Applicants, Ajay Mohindra, William H. Tetzlaff, David M. Shofi, and Apratim Purakayastha, who are real parties in interest with respect to the subject patent application.

### **II. RELATED APPEALS AND INTERFERENCES**

There are no pending related appeals or interferences with respect to the subject patent application.

### **III. STATUS OF CLAIMS**

Eleven (11) claims are the subject of the present Appeal, numbered 11-18 and 20-22. Claims 11-18 and 20-22 have been finally rejected. Claims 1-10 had been allowed in the parent patent application (now U.S. Patent 6,356,964) and were canceled by Preliminary Amendment in the

**Serial No. 10/076,778**

currently-pending CPA-Divisional Application which is the subject of this Appeal. Claims 23-24 have been withdrawn in response to a requirement for restriction and are not the subject of this Appeal. A complete copy of the claims involved in the appeal is attached hereto.

#### **IV. STATUS OF AMENDMENTS**

There are no amendments filed after final rejection for the application.

#### **V. SUMMARY OF INVENTION**

The presently-claimed invention provides a method and computer program data structure for enabling a user (602 at Fig. 6b) at a client location (102a of Fig. 6b) to provide input values to a bag buffer (302 of Fig. 6b and Fig. 3) for input to a running program after the program has begun running by prior to the program requesting those input values (page 13, lines 1-17). The method steps, as recited in Claim 11, include maintaining a bag buffer of variable/value pairs in the program (step 424 of Fig. 4 and

**Serial No. 10/076,778**

Fig. 3), wherein user input values are substituted for program variables during program execution, receiving a communication, including input values, from the user (at step 420), and temporarily storing the input values (step 422) in the bag buffer until those value are need by the program (step 402). Similarly, the structure (as illustrated in Fig. 3) as recited in Claim 18 comprises an output buffer (306 of Fig. 3) for storing output values to be displayed to a user; a bag buffer (304 of Fig. 3) for storing variable/value pairs for use by the program; an input buffer (308 of Fig. 3) for storing values for which user input of variables is required; and a program state buffer for storing at least the present state of the program (310 of Fig. 3).

## **VI. GROUNDS OF REJECTION TO BE REVIEWED**

The grounds of rejection to be reviewed are:

- (1) Claims 11-13 and 18-19 have been rejected under 35 USC 102(b) as anticipated by the Chess article;  
and

**Serial No. 10/076,778**

(2) Claims 14-17 and 20-22 have been rejected under 35 USC 103(a) as unpatentable over the Chess article.

## **VII. ARGUMENT**

### **(1) Rejections under 35 USC 102 (b)**

#### **Claim 11**

The Chess article is directed to the use of itinerant agents for mobile computing. The itinerant agents are described as "programs, dispatched from a source computer, that roam among a set of networked servers until they accomplish their task." Under the Chess teachings, an itinerant agent is initialized with a user's task and is dispatched to accomplish the task. When creating a task for the itinerant agent, the user employs a form or dialogue to input the task specification (e.g., book round-trip airline reservations between New York and Austin for departure date March 1 and return date March 5 for one person on business class). The task specification is then converted into a

**Serial No. 10/076,778**

transaction agent program capable of executing the task. The transaction agent has the ability to migrate from place to place, accumulating information until it is able to complete its task (page 36, right column). As such, the agent may visit multiple airline sites to determine if an airline has the information (i.e., appropriate available tickets) for the agent to complete the task.

All user input to the Chess system is provided in the task specification prior to running of the program (i.e., prior to instantiation of the transaction agent). Clearly, therefore, the Chess teachings do not anticipate a method including the steps of receiving user input values during program execution and storing the values in variable/value pairs in the bag buffer for later use by an agent in executing the program, as is expressly recited in Claims 11.

The Chess article does not specify how user input is stored. Further, the Chess article does not teach whether user input, such as user preferences, is used for program execution. Appellants disagree with the Examiner's interpretation of the Chess teachings.

With regard to the language of the method Claim 11, Appellants respectfully assert that the Chess article does

**Serial No. 10/076,778**

not anticipate the invention as set forth in the independent claim. Claim 11 recites a method for enabling a user to provide input values as variables to a running program after said program has begun running and before the program needs the input values, wherein user input values are substituted for program variables during program execution, comprising the steps of maintaining a bag buffer of variable/value pairs for use in executing the program in the program; receiving a communication, including input values, from the user; and temporarily storing said input values for said variables as variable/value pairs in said bag buffer.

Appellants contend that the Chess article does not teach or suggest providing input values as variables to a *running* program, wherein the user input values are substituted for variables during program execution. Chess provides all input to the itinerant agent prior to task execution, and in fact prior to instantiation of the itinerant agent. Clearly Chess does not anticipate enabling a user to provide input values to a running program.

Appellants further assert that Chess does not anticipate providing values for variables wherein the values will be substituted for variables during program execution.



**Serial No. 10/076,778**

The cited Chess teachings simply states that the Transaction Agent is given the user's preferences (page 36, right column, last paragraph), but does not teach or suggest that those user preferences be used during task execution by the itinerant agent. While Chess says that the user's preferences are "expressed as rules", Appellants respectfully assert that Chess does not teach that the user's preferences are used as input values for program execution. The rules may, as with the previously-cited Peckover patent, simply be used to order search results. Absent some express teachings, it cannot be maintained that Chess anticipates the claim language, which explicitly recites storing input values in variable/value pairs *for use in executing the program*.

Appellants further assert that Chess does not anticipate the claimed step of maintaining a bag buffer of variable/value pairs for use in executing the program in the program. As noted above, the Chess article does not provide any details of how user input information (e.g., the user preference information) is stored. The cited "goals and status information" from page 39, illustrated in Figure 2 of Chess, provides a vague description of an agent's structure,

**Serial No. 10/076,778**

but clearly does not teach or suggest storing variable/value pairs in a bag buffer, wherein the user input values are to be substituted for program variables during program execution.

Appellants further assert that the Chess article does not anticipate the claimed steps of receiving a communication during program execution, including input values, from the user and temporarily storing said input values for said variables as variable/value pairs in the bag buffer. Chess has the stated intention of providing a mechanism for an itinerant agent to receive user input at agent initialization and to be dispatched without any further user input. There is nothing in the Chess article which either teaches or suggests providing user input during program execution.

Anticipation under 35 USC 102 is established only when a single prior art reference discloses each and every element of a claimed invention. See: In re Schreiber, 128 F. 3d 1473, 1477, 44 USPQ2d 1429, 1431 (Fed. Cir. 1997); In re Paulsen, 30 F. 3d 1475, 1478-1479, 31 USPQ2d 1671, 1673 (Fed. Cir. 1994); In re Spada, 911 F. 2d 705, 708, 15 USPQ2d 1655, 1657 (Fed. Cir. 1990) and RCA Corp. v. Applied Digital

**Serial No. 10/076,778**

Data Sys., Inc., 730 F. 2d 1440, 1444, 221 USPQ 385, 388 (Fed. Cir. 1984). Since the Chess article does not teach the claimed method steps of maintaining a bag buffer, receiving input values from a user during program execution and storing the input values as variable/value pairs in the bag bugger, it cannot be maintained that Claim 11 is anticipated by the Chess article.

**Claim 12**

Appellants rely on the arguments set forth above with regard to the method steps recited in Claim 11, from which Claim 12 depends. Claim 12 further recites "wherein said program subsequently performs a retrieving step wherein said program searches through contents of the bag buffer to locate needed input values before requesting input from said user". As discussed above, the Chess article does not teach or suggest a bag buffer and does not teach or suggest that a transaction agent interacts with the user at all during agent program execution. The user only inputs the task specifications and waits for the transaction agent to return with results after the transaction agent has completed its task. Clearly it cannot be maintained that the transaction

**Serial No. 10/076,778**

agent of Chess searches contents of a bag buffer prior to requesting input from a user (Claim 12), since Chess has no bag buffer and does not teach or suggest interacting with (i.e., requesting information from) the user.

**Claim 13**

Claim 13 recites the retrieving step comprising steps of searching, in the bag buffer, for input values associated with input variables requested by said program, updating, if found, the input variables with the input values, disposing of the input variables if not found; and notifying the user via electronic means if no suitable values are found in the bag buffer. Appellants rely on the arguments set forth above with regard to the method steps recited in Claims 11 and 12, from which Claim 13 depends. Further, Appellants contend that the Chess article does not anticipate the claimed steps since Chess provides no teachings regarding a bag buffer for its user task specification, or regarding updating user task specifications, or of notifying a user if task specifications are not suitable values. Absent the

**Serial No. 10/076,778**

claimed teachings, the Chess article cannot be said to anticipate the language of Claim 13.

**Claims 18-19**

With regard to the structure claims, independent Claim 18 and those claims which depend therefrom and add further limitations thereto, Appellants assert that Chess does not provide any details for storage of data. Chess does not teach or suggest an output buffer, an input buffer, a program state buffer, and a bag buffer as claimed. Appellants reiterate that Chess does not store variable/value pairs of data, which data is needed for execution of the program. The stored variable/value pairs of the present invention are provided by the user and stored for use by the program while the program is running, but prior to when the program actually needs the variables/values. There is simply nothing in the cited Chess teachings which anticipates or obviates that claim language. In rejecting the claimed output buffer, the Examiner states that a "client sends its agent...to retrieve the latest version of a technical paper...[serving] as a courier...for data and program content." Appellants fail to

**Serial No. 10/076,778**

see how that statement anticipates the claimed output buffer for storing program execution output values to be displayed to a user.

With respect to the claimed input buffer, the Examiner has cited the Chess teaching that "the agent is initialized with the user's task" and the passage on page 35 about the task specification. However, Chess does not teach or suggest an input buffer for storing values based on user input of values for variables required by an already running program, wherein user input values are substituted for program variables during program execution, said input buffer being accessed by said agent execution shell to communicate values for the input variables to the agent for present use by the agent during program execution. All that Chess states is that the user uses a form to "state his need". Such teachings clearly do not anticipate the claimed input buffer.

With regard to the program state buffer for storing at least the present state of said program, the Examiner has cited the Chess statement that "when the agent has successfully completed its task...it may collect its state." Chess does not, however, teach a program state buffer.

**Serial No. 10/076,778**

Finally, with regard to the claim feature of a bag buffer for storing variable/value pairs for later use by the agent in executing the program, Appellants reiterate the arguments presented above, that Chess does not teach how user preferences are stored, and clearly does not teach a bag buffer for storing variable/value pairs for use in executing the program. Appellants note that the Examiner cites the Chess statement that "the agent is initialized with the user's task" against the bag buffer. The Examiner has also cited the exact same language against the input buffer. Since Appellants are clearly reciting two distinct components, Appellants respectfully assert that one Chess teachings cannot anticipate two distinctly claimed components of the structure. The Examiner again cites the "goals and status information" which also does not anticipate a bag buffer for storing variable/value pairs.

It is well established under U. S. Patent Law that, for a reference to anticipate claim language under 35 USC 102, that reference must teach each and every claim feature. Since the Chess article does not teach an output buffer for storing program execution output values to be displayed to a user, does not teach an input buffer as claimed, does not

**Serial No. 10/076,778**

teach a bag buffer for storing variable/value pairs for later use by an agent in executing the program, and does not teach a program state buffer in conjunction with input, output and bag buffers, it cannot be maintained that the Chess article anticipates the invention as claimed in Claims 18-19.

**(2) Rejections under 35 USC 103(a)**

**Claims 14-17 and 20-22**

Appellants further assert that the Chess article does not obviate the invention as set forth in the pending claims. Appellants rely on the arguments set forth above with regard to the language of the independent claims. Further, Appellants respectfully assert that Chess does not teach or suggest the invention as set forth in dependent Claims 14-17 and 20-22. With regard to Claims 14-17, the Examiner has acknowledged that Chess does not expressly disclose notifying with the claimed electronic means. The Examiner has failed to cite any Chess teachings against the claim language. Rather, the Examiner states that "it would have been obvious to one skilled in the art at the time the



**Serial No. 10/076,778**

invention was made to assemble and transmit a message to an electronic means such as a pager, beeper, electronic mail, or smart telephone..." (page 10 of the Office Action). Appellants contend that obviousness cannot be maintained without some teaching or suggestion of the claim features. The Federal Circuit has stated that when patentability turns on the question of obviousness, the obviousness determination "must be based on objective evidence of record" and that "this precedent has been reinforced in myriad decisions, and cannot be dispensed with." (In re Lee, 277 F. 3d 1338, 1343 (Fed. Cir. 2002)). Moreover, the Federal Circuit has stated that "conclusory statements" by an examiner fail to adequately address the factual question of motivation, which is material to patentability and cannot be resolved "on subjective belief and unknown authority" (Id. at 1343-1344).

Appellants further maintain that it would not be obvious to provide the claimed notifying in conjunction with the additionally recited claim features of maintaining the bag buffer, receiving a communication, temporarily storing the input values, searching the bag buffer, and updating variables and/or disposing of input values. Clearly,

**Serial No. 10/076,778**

therefore, Chess does not teach or suggest the invention as set forth in Claims 14-17. Appellants respectfully request reconsideration of the rejections of these claims.

With regard to Claims 20-22, Appellants disagree with the Examiner's conclusion that the claim language is obvious. Again the rejection has been made without any citation of teachings from the Chess article. Chess simply illustrates, at Figure 2, a sequence of blocks. Chess does not teach or suggest an array data structure, a hash table data structure, or a tuple space data structure, as recited in the language of Claims 20-22. For a determination of obviousness, the prior art must teach or suggest all of the claim limitations. "All words in a claim must be considered in judging the patentability of that claim against the prior art" (*In re Wilson*, 424 F. 2d 1382, 1385, 165 U.S.P.Q. 494, 496 (C.C.P.A. 1970)). If the cited references fail to teach each and every one of the claim limitations, a *prima facie* case of obviousness has not been established by the Examiner.


Serial No. 10/076,778

**CONCLUSION**

Appellants respectfully assert that the Examiner has erred in rejecting Claims 11-13 and 18-19 under 35 USC 102(b) as anticipated by the Chess article and has erred in rejecting Claims 14-17 and 20-22 as unpatentable over the teachings of the Chess article. Appellants request that the decision of the Examiner, rejecting all of the pending claims, be overturned by the Board and that the claims be passed to issuance.

Respectfully submitted,  
A. Mohindra, et al

By:

  
Anne Vachon Dougherty  
Registration No. 30,374  
Tel. (914) 962-5910

**APPENDIX OF CLAIMS**

11. A method for enabling a user to provide input values as variables to a running program after said program has begun running and before the program needs the input values, wherein user input values are substituted for program variables during program execution, comprising the steps of:

maintaining a bag buffer of variable/value pairs for use in executing the program in the program;

receiving a communication, including input values, from the user during program execution; and

temporarily storing said input values for said variables as variable/value pairs in said bag buffer.

12. The method of Claim 11 wherein said program subsequently performs a retrieving step wherein said program searches through contents of the bag buffer to locate needed input values before requesting input from said user.

13. The method of Claim 12 wherein the retrieving step comprises the steps of:

**Serial No. 10/076,778**

searching, in the bag buffer, for input values associated with input variables requested by said program;

updating, if found, the input variables with the input values;

disposing, in an input buffer, the input variables, if not found; and

optionally notifying the user via electronic means if no suitable values are found in the bag buffer.

14. The method of Claim 13 wherein the electronic means is a pager and wherein said notifying comprises assembling and transmitting a page message to said user.

15. The method of Claim 13 wherein the electronic means is a beeper and wherein said notifying comprises assembling and transmitting a message to the beeper of said user.

16. The method of Claim 13 wherein the electronic means is electronic mail and wherein said notifying comprises assembling and transmitting a electronic mail message to said user.

**Serial No. 10/076,778**

17. The method of Claim 13 wherein the electronic means is a smart telephone and wherein said notifying comprises assembling and transmitting a message to the smart telephone of said user.

18. A computer program data structure for a mobile agent executing a program at an agent execution shell at a computing location comprising:

an output buffer for storing program execution output values to be displayed to a user;

an input buffer for storing values based on user input of values for variables required by said program, wherein user input values are substituted for program variables during program execution, said input buffer being accessed by said agent execution shell to communicate values for the input variables to the agent for present use by the agent during program execution;

a program state buffer for storing at least the present state of said program; and

a bag buffer for storing variable/value pairs for later use by said agent in executing said program.

**Serial No. 10/076,778**

20. The data structure of Claim 18 wherein the bag buffer is an array data structure.

21. The data structure of Claim 18 wherein the bag buffer is a hash table data structure.

22. The data structure of Claim 18 wherein the bag buffer is a tuple space data structure.

**Serial No. 10/076,778**

**EVIDENCE APPENDIX**

There has been no additional evidence presented.



Serial No. 10/076,778

**RELATED PROCEEDINGS APPENDIX**

There are no related proceedings.